



Durability Test				
Testing Load	Aim	Environment		Date
		Temp °F (°C)	Humidity	
ACS System	Durability	89.6 (32)	81%	2022.07.15 - 2022.08.03
Performance				
Pull (Lb)	Voltage V	Current A	Line Speed ft/min (m/min)	
0	12	45	27.5 (8.4)	
5000	12	190	9.8 (3.0)	
10000	12	290	6.9 (2.1)	
15000	12	380	5.2 (1.6)	
20000	12	465	3.9 (1.2)	
25000	12	530	2.6 (0.8)	
Intensive Test				
Pull (Lb)	Current A	Single Test Distance	Seconds	Comments
20000	460-470	4.9' (1.5m)	80	After every test, stop for 30 minutes. Total 200 tests
22500	490-500	4.9' (1.5m)	80	After every test, stop for 30 minutes. Total 50 tests
Totals		250 Tests		1230ft (375 metres)

Description:

- The test was conducted from 15 July 2022 to 3 August 2022 (20 days).
- The test is conducted at 80%-90% of the rated line pull of the winch.
- Due to heat build up in the motor, the intensive test time takes longer, and the test is carried out with a 30-minute rest after each.
- Other than replacing the test wire rope, there are no other abnormal phenomena noted during the test.
- After the test, each component is cleaned and inspected and no abnormal wear and tear found.



Conclusion

During the winch test, there were no irregularities in sound, the braking performance was reliable, all parts were functioning normally, the casting plate was not deformed or broken, and the parts of the reducer were inspected and found intact. Winch test passed.